

RADBOOK

Mediadaten 2027

Valid as of October 2026

Profile

RADBook gives an overview about the most innovative diagnostic imaging systems for radiologists, cardiologists and managing directors of hospitals in Europe. Whether a new radiology department is to be established or radiological equipment has to be replaced, the RADBook guides you through digital mammography, digital X-Ray equipment, CT, MR, Ultrasound, PACS & RIS solutions and other equipment.

Every chapter starts off with an article presenting trends, developments and innovations in the specific sector followed by an overview about the products plus accessories.

Target groups

Medical experts and decision makers in European hospitals (mainly radiologists, cardiologists and managing directors).

Information

Booking deadline: December 23, 2026

Product entries & advertorials deadline: January 26, 2027

Publishing date: February 18, 2027

Frequency: once a year (ECR 2027)

Print run: 10,150 copies



European Hospital



LABBook



RADBook



Newsletter healthcare-in-europe



healthcare-in-europe.com

CT

Photon-counting CT
Dual Source CT · Volume CT
20 to 64 Slices · 2 to 16 Slices
Mobile CT · Mammo CT
Conebeam CT · Oncology CT
Mobile CT Solutions
Accessories / Complementary
Systems
Refurbished

MRI

PET MRI
7 Tesla · 3 Tesla · 1.5 Tesla
High-V MRI (0.55 Tesla)
Oncology · Open MR
MRI Coils
Refurbished

Accessories

Injectors

Injectors

Accessories

Interventional Systems

Multi-Modality Suites
Bi-Plane · Single Plane
Surgical Flat Panel Systems
Surgical Flat Panel C-Arms
Surgical II-C-Arms
Refurbished
Accessories

AI

Planning · Reading
Scanning · Reporting

R/F Systems

Mobile X-ray

Vista Sistemi Medicali - Visitor T30M

Power	Operation	Maximal
30 kW	Battery	Yes

Highlights

- Motorized mobile unit, battery powered
- Exposures are possible without connecting the unit to an external power supply
- Compact structure and flexible positioning
- A 320° rotating column with telescopic arm
- Fine positioning adjustment through tube-head controls
- Frontal bumper with anti-collision function
- kV Range: 40 - 125 kV
- mAs Range: 0.1 - 320 mAs



Mobile X-ray

Vista Sistemi Medicali - Visitor T30R

Power	Operation	Maximal
30 kW	Wheels	No

Highlights

- Mobile unit designed for intensive care units as well as orthopedic, pediatric or surgery departments
- Compact design for a high maneuverability of the unit
- A 90° arm rotation for increased flexibility of X-ray tube positioning
- kVW anatomic mode
- User-friendly control panel
- High performance generator and double focal spot (0.6 / 1.3 mm) tubehead
- kV Range: 40 - 125 kV
- mAs Range: 0.1 - 320 mAs



Business Intelligence

Siemens Healthineers - teamplay X-ray Dashboard

Highlights

- "teamplay X-ray Dashboard" brings transparency to image injections and kV Exposure Index of your radiology examinations, helping you to increase quality of X-ray imaging and the operational efficiency of your fleet.
- Track and document your institution's injection rate for quality control and regulatory requirements
- Conduct in-depth injection analysis on various levels, ranging from region reasons to clinical protocols
- Monitor under- or overexposure of X-ray images with Exposure Index (EI) and Deviation Index (DI)

*teamplay is not commercially available in all countries. If the services are not available, countries due to regulatory or other reasons, the device offers manual data management.



Accessories / Complementary Systems

Canon Electron Tubes & Devices - XRR-3332 X

Highlights

- 1 inch RECTANODE X-ray tube assembly for Mobile systems
- 20 percent smaller size / 22 percent lighter weight housing than previous model
- High power input: 40 kW / 20 kW (0.1 s)
- XRR-3332X is useful for designing smaller and excellent mobile system
- Adopt large capacity anode target to support multipurpose diagnostic application
- Size: 1.2 / 0.6
- Power: 40 kW / 20 kW
- Capacity: 300 kAs (anode heat content) 870 W (anode heat dissipation)



Accessories / Complementary Systems

Canon Electron Tubes & Devices - XRR-6653X

Highlights

- A RECTANODE X-ray tube assembly for DR systems
- 20 percent smaller housing than previous model
- Can be used as a replacement part for similar models
- Size: 0.6 / 0.3 (focal spot)
- Power: 52 kW / 12 kW (input power)
- Capacity: 600 kAs (anode heat content) 1,670 W (anode heat dissipation)
- High throughput (5000 continuous anode input power)
- High resolution image with small focal spot size



Accessories / Complementary Systems

DIGEN - CXR Series - X-Ray Generator

Power	Capacity	WPS
32 / 40 / 52 / 68 / 82 kW	32 / 40 / 52 kW	32 / 40 kW

Highlights

- High-frequency generator perfect for general radiography
- Excellent reproducibility, accuracy and linearity
- Smaller, lighter modular design
- 1,280 APR conditions with APR utility software
- Tube overloading and housing overheating protection
- Real-time monitoring and self-diagnosis
- Automatic calibration for long-term usage
- Capacitor Type: compatible with standard wall outlet
- UPS Type: 0.9 kVA, free-voltage (100-240 VAC) line power

- UPS Type: Operation time of up to 12 hours, and 3,500 X-ray shots during a power failure



IT Systems

RIS · Business Intelligence
PACS · VNA · Reading
Mammo Workstations
Remote Scanning
Pathology · Portal Solutions
Utilities / Add-ons
Mobile RIS/PACS Viewer
Dose Management Systems

Women's Health

Mammo CT
Tomosynthesis
Digital Mammography
Biopsy Units
Film-Screen Mammography
Mammo Workstations

R / F Systems

Bucky · Fluoroscopy
Mobile X-Ray
CR · DR · Portable DR
DR Detectors · Mobile DR
Flatpanel Fluoro
DXA
Business Intelligence
R/F digital
Accessories

Molecular Imaging

PET-CT · PET-MRI · SPECT-CT · SPECT
Refurbished

Displays / Printers

Displays – Mammo / Color / Grayscale
DVD Import · DVD Burner · Printers

Ultrasound

Testing Devices

Women's Health

Mammo CT

AB-CT · Advanced Breast CT - maxview

Pixel size
100 µm

Scan time
7 - 12 s

Detector type
Photon counting

Highlights

Leading edge breast CT system for a revolutionary breast imaging experience
• Real 3D images with high isotropic resolution (voxel size: 100 µm)
• Superior position-free, superb soft tissue differentiation
• Low dose in the range of mammograms

• Excellent patient comfort without compression
• Short scan and examination times
• Direct converting detector for high-end sensitivity, accuracy and speed



Tomosynthesis

Fujifilm · Amulet Innovality

Pixel size
50 µm / 100 µm / 150 µm

Scan angle
13° / 40°

Scan time
4 s / 9 s

Highlights

• Unique Fujifilm developed a 5e detector using hexagonal pixels for dynamic resolution of different resolutions
• New iterative reconstruction with new level of synthetic 2D image (5-View-i) (Mammography) - corrected for low noise and better visibility of details, resulting in easy reading
• Ergonomic design for user and patients
• Dynamic image processing with advanced options like fine structure correction (FSC) and dynamic visualization (i) Tomosynthesis biopsy, vertical and lateral approach
• C-DM, energy subtraction for mammography
• Dual angle tomosynthesis for dose efficient with maximum diagnostic performance



Fujifilm · Amulet Innovality Harmony

Pixel size
50 µm

Scan angle
40°

Scan time
4 s

Highlights

The "Harmony" version brings together diagnostic performance with new design themes creating an environment to put your patients at ease. The new design is pleasant and lively and is created to make the mammography examination less stressful, promoting greater relaxation and comfort.
In addition to Amulet Innovality features, Harmony comes with new iterative reconstruction, with new level of synthetic 2D image (5-View-i) - corrected for low noise and better visibility of details, resulting in easy reading and Dynamic Visualization i a dynamic image processing with Advanced options like fine structure correction (FSC).



Hologic · 3Dimensions Mammography System

Pixel size
70 µm

Scan angle
13°

Scan time
3.7 s

Highlights

Reveals fine details with the fastest, highest resolution 3D Mammography exam using our advanced detector and innovative 3D imaging technologies designed to help detect more invasive cancers with confidence. With the integration of additional AI-powered solutions, the 3Dimensions is the smart, comprehensive platform supporting breast cancer detection, workflow optimization and risk assessment.



IMS Giotto - GAMM Group - Giotto Class

Pixel size
85 - 83 µm

Scan angle
30°

Scan time
11 s

Highlights

Giotto Class is an advanced and innovative three-dimensional breast imaging technology able to perform
• Digital mammography examinations (2D)
• Synthetic 2D image generated from 3D dataset
• Combo Tomosynthesis & digital mammography
• Stereotactic and tomo-guided biopsy in prone or upright position
• Contrast Enhanced Spectral Mammography (CESM)
IMS Giotto is a company of GAMM Group



Planned Oy - Clarity 3D

Pixel size
83 µm

Scan angle
13°

Scan time
13 s

Highlights

• Digital mammography system for conventional 2D imaging, diagnostic imaging, stereotactic biopsies and Digital Breast Tomosynthesis (DBT)
• Continuous Sync and Shoot tomosynthesis imaging method with iterative reconstruction and Tomo-Marker technology to enable sharp and artifact free images
• Intuitive Planned Clarity Flow touch screen based user interface



All product entries are transferred to our online RADBook database at healthcare-in-europe.com/en/radbook.

The screenshot displays the healthcare-in-europe.com website, specifically the RADBook database section. The main navigation bar includes links for Latest News, Diagnostic Imaging, Laboratory/Pathology, Treatment Management, IT/Tech, and Research. The RADBook database is organized into categories: CT, MRI, and Injectors. A red box highlights a specific MRI product, Canon Vantage Orian 1.5 T, which is shown in a detailed view on the right side of the image.

healthcare-in-europe.com

LATEST NEWS DIAGNOSTIC IMAGING LABORATORY/PATHOLOGY TREATMENT MANAGEMENT IT/TECH RESEARCH

RADBOOK

CT

Accessories/Complementary Systems
Canon Electron Tubes & Devices - LM CT Tube
Canon Electron Tubes & Devices Co., Ltd.

Volume CT
Siemens Healthineers - Somatom Edge Plus
Siemens Healthineers

Cone Beam CT
Cella - NewTom 70
Cella s.r.l.

Dual Source
Siemens Healthineers - Somatom Drive
Siemens Healthineers

Accessories/Complementary Systems
GCTechnology - CIRS Phantom
GCTechnology GmbH

MR

Accessories/Complementary Systems
Canon Vantage Orian 1.5 T
Canon Medical Systems Europe B.V.

7 Tesla
Siemens Healthineers - Magnetom Terra
Siemens Healthineers

High-Field MRI (7T/5T/3T)
Siemens Healthineers - Magnetom Free Max
Siemens Healthineers

Accessories/Complementary Systems
allMRI GmbH - MRI Safe Handheld Metal Detector
allMRI GmbH

1.5 Tesla
Canon Vantage Orian 1.5 T Edition
Canon Medical Systems Europe B.V.

Accessories/Complementary Systems
allMRI GmbH - Portable MRI
allMRI GmbH

1.5 Tesla
Canon Vantage Orian 1.5 T
Canon Medical Systems Europe B.V.

Injectors

Injectors
Medison AG - Accuscan MR
Medison AG

Injectors
Medison AG - Accuscan HP
Medison AG

Injectors
Gaeltec - FlowScan
Gaeltec

Injectors
Gaeltec - OptiScan Elite
Gaeltec

Accessories/Complementary Systems
Transcend - Transcend
Transcend

Injectors
Gaeltec - OptiScan
Gaeltec

healthcare-in-europe.com

LATEST NEWS DIAGNOSTIC IMAGING LABORATORY/PATHOLOGY TREATMENT MANAGEMENT IT/TECH RESEARCH

RADBOOK

MRI

Canon Medical Systems Europe B.V.

Canon – Vantage Orian 1.5 T

Gradient: 54 / 45 mT / m
Slewrate: 155 / 200 mT / m / s
Channels: 128

Highlights

- Patient friendly 71cm wide bore and silent scanning with Pacifino Zen
- Fully integrated Deep Learning Reconstruction: Advanced Intelligent Clear-IQ Engine (AICE). AICE produces exceptionally detailed MR images with high SNR
- Auto Scan Assist solutions for automated scan-planning and increased productivity
- Next generation scan techniques
- Enhanced throughput with Compressed SENSE, dockable table and live planning tool ForSee View

All RADBook products are featured on the **healthcare-in-europe.com** homepage.
Moreover, the product entries are displayed in corresponding articles depending on the context (keyword-associated).

Products from Radbook



Surgical Flat Panel C-Arms
Arcovis DRF-C R30
VILLA SISTEMI
MEDICALI s.p.a.



Accessories / Complementary
Systems
**Transaflow Multi-APS safety
and PWL/PWLS 12h**
Transatlantic



DR
X-DRS Floor Standard E
EXAMION GmbH



RIS
RIS
medavis GmbH



Surgical Flat Panel C-Arms
Omniscop DReam
STEPHANIX



Mammo CT
AB-CT nu:view
EXAMION GmbH

Related products



Reading
Nexus/Chili – Diagnost
Nexus/Chili GmbH



Printers
Agfa – Drystar 5503
Agfa



Multi-Modality Suites
Canon – Alphenix 4D CT
Canon Medical Systems
Europe B.V.



Artificial Intelligence
**Canon – HIT Automation
Platform**
Canon Medical Systems
Europe B.V.



Accessories / Complementary
systems
Febromed – Get Up
Febromed GmbH & Co.
KG



Reading
medigation – ImageVision
medigation GmbH



Portal Solutions
**i-Solutions Health -
RadCentre Patientenportal**
i-SOLUTIONS Health
GmbH



Portal Solutions
**medavis – booking4med
Online Appointment Booking**
medavis GmbH

Product entries



Single Entry

1/6 page - logo on related chapter cover,
logo and address details in the manufacturer list and database

669,- €

Basic package

1/6 page - full color product entries (4 entries max),
logo on related chapter cover,
logo and address details in the manufacturer list and database

1.359,- €


Full package

1/6 page - full color product entries (12 entries max),
logo on related chapter cover,
logo and address details in the manufacturer list and database

2.450,- €

For more than 12 products entries prices on request.
We will integrate a direct link from the ePaper ad or product entry to your website.
This service will be charged once as part of your print booking with € 98.

Advertorials



One page article

400 – 500 words max.

1 – 2 images in high resolution

6.350,- €

Double page article

800 – 900 words max.


1 – 2 images in high resolution

9.990,- €

By booking an advertorial you will receive 60 % discount on a product package of your choice.

*.doc/.docx/.rtf/.txt document, supported file types: .jpg, .eps, .tif, 300 dpi min., CMYK mode


Ads



1/1 page

210 x 297 mm (Bleed size)


6.350,- €



1/2 page landscape

210 x 148 mm (Bleed size)


3.890,- €



Blocker Ad

85 x 76 mm (Bleed size)

850,- €



1/2 page landscape

100 x 297 mm (Bleed size)

3.890,- €

By booking an advertisement you will receive 60 % discount on a product package of your choice. Title + cover pages: prices upon request.

advertising formats	details	price
1 Headerbanner	1,150 x 100 px (desktop) 690 x 75 px (tablet) 270 x 270 px (mobile)	4.400,- €
2 Content banner	1,150 x 100 px (desktop) 690 x 75 px (tablet) 270 x 270 px (mobile)	3.050,- €
3 Rectangle	400 x 400 px	3.050,- €
4 Text ad square / video ad		3.200,- €
5 Product of the month (POM)		2.800,- €


Information

Prices per month.

File formats: .jpg / .png

Run time: one month

Please find more details and formats at mgo-fachverlage.de/mediadaten/
healthcare-in-europe.com.



Publisher:

mgo fachverlage GmbH & Co. KG
Managing Directors: Michael Dietl
E.-C.-Baumann-Straße 5 · 95326 Kulmbach · Germany
Tel.: +49 9221 949-407 · Fax: +49 9221 949-401
www.healthcare-in-europe.com
HRA Bayreuth Nr. 3713

Bank details:

Sparkasse Bamberg
IBAN: DE18770500000302246509
BIC: BYLADEM1SKB (Bamberg)

Payment terms:

Payment within 8 days with a 2 % discount, 30 days net

Terms of service:

Please find the terms and conditions at
mgo-fachverlage.de/AGB

cover picture:

© oppdowngalon – stock.adobe.com



Ilona Haber

General Sales Manager

+49 9221 / 949-422

i.haber@mgo-fachverlage.de



Eric Jund

France, Italy, Spain

+33 493 587 743

jund@european-hospital.com



Diana Thümmel

Advertising

+49 9221 949-407

d.thuettel@mgo-fachverlage.de



Hanna Politis

USA, Canada

+1 3018 696 610

hanna@media-intl.com



Wolfgang Behrend

Editor

+49(9221)949-505

w.behrends@mgo-fachverlage.de



Charles Yang

Taiwan

+886 4 2322 3633

medianet@ms13.hinet.net